



Vermont's Guide to Fluoride Levels in Public Water Systems

May 2015



May 2015

The Vermont Guide to Fluoride Levels in Public Water Systems is prepared by the Vermont Department of Health, and updated every three years. This 2015 edition replaces previous versions.

For more information or assistance, please contact the Office of Oral Health, Vermont Department of Health at 802-651-1635 or 866-331-5622.

Recommended Fluoride Level

The current recommended level for fluoride in public water systems is 0.70 parts per million (ppm).

For Primary Health Care Providers

Primary health care providers (pediatricians, family physicians, physician assistants, nurse practitioners, etc.) and dentists make decisions daily as to the need for prescribing fluoride supplements for children.

The information in this guide will enable providers to determine at a glance, the level of fluoride the family is already receiving from their community water system prior to prescribing any supplementation. If the family is served by a private well or spring system, their water must be tested prior to prescribing a dietary fluoride supplement.

The Vermont Department of Health (VDH) encourages primary care providers to identify children at risk for Early Childhood Caries (ECC) and to help ensure that those children have access to early preventive care. A key preventive measure for ECC is the proper use of fluoride, both systemically and topically. Fluoride makes a tooth more resistant to decay, inhibits the bacteria's ability to create acid, and promotes remineralization of white spot lesions (early decay). These effects on teeth are both pre-eruptive and post-eruptive.

Children should receive:

- **One systemic source**
- **Multiple topical sources, starting at the age of 6 months for maximum effect**

Systemic Sources

Community Water Fluoridation

Natural occurring beneficial levels of fluoride in primary drinking source

Prescription fluoride drops or tablet supplementation

Topical Sources

Fluoridated toothpaste (a pea size amount for very small children)

Over the counter fluoride mouthrinses (over the age of 6)

School-Based Fluoride Mouthrinse Program

Fluoride treatments in a dental office

Fluoride varnish applied by a primary care provider

Fluoridation Information

All communities that fluoridate their water adjust the natural occurring fluoride concentration to the level recommended for optimal health. The current recommended level for fluoride in public water systems is 0.70 parts per million (ppm).

The recommended fluoride level has changed over time. This is because Americans have access to more sources of fluoride than they did when water fluoridation was first introduced in the United States in the 1940s. Water is now one of several sources of fluoride. Other common sources include dental products such as toothpaste and mouth rinses, prescription fluoride supplements, and fluoride applied by dental or other medical professionals.

Water fluoridation and fluoride toothpaste are largely responsible for the significant decline in tooth decay in the U.S. over the past several decades.

How to use this Booklet

In this booklet, each public water system is listed by town, followed by the results of their existing fluoride levels. A public water system is defined as a system with 15 “connections” or 25 yearly residents (Safe Drinking Water Act, Section 1401(4) Definition for a Public Water System 1996). The public water fluoride levels in this booklet represent both the naturally occurring fluoride and those water systems that fluoridate.

Communities with fluoride levels (naturally and those water systems that fluoridate) with levels 0.3 part per million (ppm) or above are in bold. For example, if you look on page 2 of the Public Water Systems by Towns, you will find the town of Bloomfield has naturally fluoridated water at 0.44 ppm. Looking at the dietary fluoride supplement schedule below, this level falls in the category 0.3 - 0.6 ppm and therefore, for under age 3 - no supplementation; for 3-6 yrs - 0.25 mg/day; and for 6-16 yrs - 0.50 mg/day.

Dietary Fluoride Supplement Schedule - 2010

Approved by the
American Dental Association
American Academy of Pediatrics
American Academy of Pediatric Dentistry

Age	Fluoride ion in Drinking water (ppm)		
	Less than 0.30 ppm	0.30-0.60 ppm	Greater than 0.60 ppm
Birth- 6 months	None	None	None
6 months-3 years	0.25 mg/day	None	None
3-6 years	0.50 mg/day	0.25 mg/day	None
6-16 years	1.00 mg/day	0.50 mg/day	None

Families with private wells or springs - extra caution

If families are on private wells or spring systems and the fluoride level is unknown, they must test their water prior to obtaining a fluoride supplement prescription. There are geographic areas around Vermont where private well or spring waters are well above the recommended level for optimum oral health. It is therefore very important that prescriptions are NOT written for children who may already be receiving high levels of naturally fluoridated water. The only way to know for sure is to test the well water for its level of natural fluoride BEFORE prescriptions for supplements are written. The VDH Laboratory will test private wells for families with children 4 years of age and under for free. The Vermont Department of Health Laboratory Fluoride in Well Water Order Form is included in this booklet. This form can be duplicated in your office.

For Children over 4 years of age, the fluoride testing is available for a service fee at the Department of Health Laboratory or any other certified laboratory.

When to recommend testing for fluoride in their water:

- ✓ For families whose water supply is not located in this booklet, i.e. wells or small systems (under 15 connections or 25 yearly residents).

Where testing is available for fluoride:

- ✓ The Vermont Department of Health Laboratory (VDHL) will test fluoride in private well water for families with children under the age of 4 for free. The VDH Lab will test fluoride for a service-fee for families with children over age 4. Any other certified laboratory for water analysis can test for fluoride levels in the water.

The Health Care Provider responsibilities are to:

- ✓ Determine the existing fluoride content in the families' primary source of water prior to prescribing fluoride supplements.
- ✓ Consider the water source for infants and children in daycare facilities and school prior to prescribing supplements.
- ✓ Use this booklet to locate their town, then the water system name.
- ✓ Go to the result column where the fluoride levels will be found in parts per million (ppm). Highlighted are the systems with fluoride levels equal to or greater than 0.30 ppm.
- ✓ Refer to the Dietary Fluoride Supplement Schedule for prescription guidelines.

FLUORIDE IN WELL WATER ORDER FORM INSTRUCTIONS

- ✓ Section A: Fill in your provider office information prior to copying this form
- ✓ Copy this 2 sided form for a future resource supply
- ✓ Section B: To be filled out by the parent/guardian
- ✓ Parents mail the prepaid form directly to the VDH Lab

Or

Fax the form directly to the VDH Lab
FAX: 802-338-4706



<http://healthvermont.gov/family/dental/services.aspx>

**Vermont Department of Health Laboratory
Fluoride in Well Water Order Form
for families with children under the age of 4**

For questions, please call:
The Office of Oral Health, Vermont Department of Health
802-863-7330 or 866-331-5622

**INSTRUCTIONS: Section A - Primary Care Provider information
Section B - Parent/Guardian information**

Mail or fax 802-338-4706 this form directly from the providers' office to the Vermont Department of Health Laboratory

**Section A. To be filled out by the Physician or Dentist who will receive the test result:
Mailing Label or office stamp is acceptable.**

Name: _____

Mailing Address: _____

Phone: _____

Email address: _____

Section B. To be filled out by the Parent/Guardian: PLEASE PRINT

Name: _____

Mailing Address: _____

Daytime /Cell phone: _____

Email Address: _____

Child's Name: (First & Last) _____

_____ Check here if you would like additional information about Vermont Department of Health drinking water testing recommendations or services at the Vermont Department of Health Laboratory.

Fluoride testing services provided by:
The Vermont Department of Health Laboratory
Mailing address: PO Box 1125, Burlington Vt, 05402-1125
Physical Address: 359 South Park Drive, Colchester, Vt. 05446
(800) 660-9997 or (802) 338-4724 FAX: (802) 338-4706
<http://healthvermont.gov/>

WATER TEST RESULTS ARE PUBLIC RECORD

-----Fold Here-----



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 411 BURLINGTON, VT

POSTAGE WILL BE PAID BY ADDRESSEE

VERMONT DEPARTMENT OF
HEALTH LABORATORY
PO BOX 1125
BURLINGTON VT 05402-9992



-----Fold Here-----

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5188	Albany Water System	Albany	11/18/14	0.1000	200
5137	Alburg Springs FD 1	Alburg	03/21/14	0.3000	87
5136	Alburg Village Water System	Alburg	fluoridated		576
5013	Arlington Water Co	Arlington	12/17/2013	0.1000	1230
5114	Bakersfield FD 1	Bakersfield	09/18/13	0.1000	446
5314	Sonnenberg Water System	Barnard	05/14/13	0.3000	50
20029	Barnet School District	Barnet	02/22/11	0.4000	290
5029	Barnet FD 2	Barnet	01/16/2014	0.1000	205
5537	Karme Choling	Barnet	03/03/11	0.6700	100
5441	McIndoe Falls FD 3	Barnet	01/11/10	0.3000	180
5031	Passumpsic FD 1	Barnet	fluoridated		140
5254	Barre City Water System	Barre City	fluoridated		14000
5566	Barre Town Water System	Barre Town	fluoridated		1210
5253	Birchwood Park	Barre Town	03/22/11	0.1000	35
5249	Deep Rock Water FD 8	Barre Town	fluoridated		75
5248	Graniteville FD 4	Barre Town	05/17/10	0.1000	700
5247	Websterville FD 3	Barre Town	02/05/15	0.1000	367
5189	Barton Water System	Barton	04/01/14	0.1000	950
6093	Lake Region Union USD 24	Barton	01/10/11	0.4000	460
5531	Maple Lane Community Care Home	Barton	02/12/13	0.3000	26
5607	Maple Lane Nursing Home	Barton	02/12/13	0.3000	181
5298	Bellow Falls Water Dept. (Village Only)	Bellow Falls	fluoridated		3700
20791	Applegate Apartments	Bennington	2/09/15	0.1000	273
20184	Bennington College	Bennington	1/13/92	0.2000	840
5016	Bennington Water Dept	Bennington	02/09/15	0.1000	12000
5471	Gore Road MHP	Bennington	10/17/95	0.2000	100
20722	Mountain View Court	Bennington	02/09/15	0.1000	53
5017	North Bennington Water Dept	Bennington	07/09/12	0.1200	1700
5018	West Road MHP	Bennington	02/09/15	0.1000	105
20801	White Birches MHP	Bennington	02/09/15	0.1000	125
5570	Benson Heights	Benson	01/31/12	0.3000	42
6730	Benson Village School	Benson	02/18/09	0.6000	190
20814	Eckerd Family Youth Alternative	Benson	06/24/13	0.3000	54
5115	East Berkshire Water Coop	Berkshire	12/12/11	0.3000	184

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5529	Berlin Health & Rehabilitation	Berlin	08/07/13	0.1000	378
5256	Berlin MHP	Berlin	fluoridated		70
5255	Berlin Water	Berlin	fluoridated		170
8300	Central Vermont Hospital	Berlin	fluoridated		1100
5344	R M C MHP	Berlin	06/05/13	0.3000	40
5258	Westons MHP	Berlin	02/24/11	0.3000	218
5315	Bethel Water Dept	Bethel	09/03/08	0.1000	915
5104	Bloomfield Water System	Bloomfield	11/18/13	0.4400	50
5051	Catamount Bolton Water & Sewer	Bolton	07/18/13	0.1000	1000
5640	Country Club Condominium	Bolton	01/04/13	0.1000	80
5052	Fernwood Manor MHP	Bolton	06/24/08	0.1000	250
5170	Bradford Village Water System	Bradford	fluoridated		1512
5171	Mobile Acres	Braintree	02/23/12	0.1000	252
5211	Brandon FD 1	Brandon	03/13/13	0.1000	3865
5417	Brandon FD 2	Brandon	06/26/07	0.2000	98
20603	Black Mountain Park	Brattleboro	02/04/15	0.1000	94
5290	Brattleboro Water Dept	Brattleboro	02/04/15	0.1000	12200
20455	Deepwood Park	Brattleboro	02/04/15	0.1000	90
20605	Glen Park	Brattleboro	02/04/15	0.1000	55
20604	Mountain Home Park	Brattleboro	02/04/15	0.1000	722
5419	Bridgewater Mill	Bridgewater	02/22/11	0.2000	108
5001	Tri Town Water District	Bridport	12/18/13	0.1000	3700
5105	Brighton Water System	Brighton	08/16/11	0.1000	2482
5002	Bristol Water Dept	Bristol	08/26/14	0.1000	1900
20612	Kilbourn MHP	Bristol	08/26/14	0.1000	118
5641	Woodland Apartments	Bristol	01/17/12	0.3000	200
5503	Burke Mountain Water System	Burke	12/11/13	0.1000	1058
5033	Burke FD 1	Burke	12/17/13	0.1000	142
5555	West Burke Housing	Burke	03/27/12	0.3000	40
5053	Burlington Water	Burlington	fluoridated		47600
5261	Cabot Village Water System	Cabot	03/12/13	0.1000	250
5262	East Calais FD 1	Calais	12/12/11	0.3000	200
5149	Cambridge Village Water	Cambridge	03/26/14	0.1000	262
5150	Jeffersonville Water System	Cambridge	08/29/13	0.3000	630
5151	Smugglers Notch Water System	Cambridge	12/19/13	0.1000	2960
5106	Canaan Fire District 1	Canaan	08/04/14	0.3000	970

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5107	Canaan FD 2	Canaan	03/08/11	0.3000	350
5212	Castleton FD 1	Castleton	03/26/15	0.1000	1940
20889	Castleton FD 3	Castleton	03/26/15	0.1000	493
5515	Castleton Meadows	Castleton	12/15/05	0.0400	107
20732	CW Mulholland Well #3	Castleton	07/12/00	0.0800	75
5213	Fort Warren MHP	Castleton	09/17/14	0.1000	129
5584	Parson Hill Partnership	Castleton	05/14/96	0.1100	32
5594	Windy Hollow MHP	Castleton	05/20/13	0.3000	118
5317	Cavendish Town Water System	Cavendish	02/26/14	0.1000	900
20397	Catamount Charlotte	Charlotte	03/27/12	1.4000	74
6721	Charlotte Central School	Charlotte	12/27/12	0.3000	550
20761	Charlotte Children's Center	Charlotte	02/15/06	0.1400	42
5056	Pine Ridge Water System	Charlotte	10/17/13	0.2200	70
5557	West Wind Water System	Charlotte	08/22/06	0.1000	60
5513	Wildwood West	Charlotte	02/05/12	1.1000	65
5581	Chelsea Elderly Housing	Chelsea	08/20/14	0.1000	28
5582	Chelsea Family Housing	Chelsea	08/20/14	0.1000	45
5638	Chelsea Water System	Chelsea	10/04/12	0.1000	553
5318	Chester Water Dept	Chester	04/24/13	0.1000	1490
5347	Coburn MHP	Clarendon	02/19/13	0.1000	126
5654	Chimney Hill Colchester	Colchester	02/23/11	0.4000	60
5058	Colchester FD 1	Colchester	fluoridated		2066
5059	Colchester FD 2	Colchester	fluoridated		8300
5060	Colchester FD 3	Colchester	fluoridated		7733
5057	Hillcrest MHP Inc	Colchester	fluoridated		615
20333	Malletts Bay Water Co	Colchester	fluoridated		533
20002	North Harbor	Colchester	01/04/12	0.2000	220
20466	Westbury Park	Colchester	fluoridated		700
20551	Windermere MHP	Colchester	fluoridated		350
5351	Sorrell MHP	Concord	09/17/13	0.2000	165
5191	Coventry FD 1	Coventry	07/23/13	0.3000	251
5194	Craftsbury FD 2	Craftsbury	03/13/12	0.3000	420
5217	Danby Mount Tabor FD 1	Danby	05/20/13	0.3000	385
5037	Danville FD 1	Danville	03/03/14	0.3000	450
5625	Beebe Plain Water System	Derby	08/22/12	0.3000	142
5195	Derby Center Water System	Derby	02/13/13	0.1000	1100

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
20568	Derby Line Village Water District	Derby	01/31/11	0.3000	1630
5020	Dorset FD 1	Dorset	11/11/13	0.1000	600
5021	East Dorset FD 1	Dorset	12/28/10	0.1000	192
5578	Bears Crossing Water System	Dover	1/28/04	0.2000	333
5653	Deer Creek Condominiums	Dover	03/28/13	0.1900	274
5536	Dover Green Condominium	Dover	12/23/08	0.1000	157
5600	Glen Run Condominium	Dover	03/11/08	0.1000	95
5630	Greensprings	Dover	01/21/11	0.1000	816
20456	Kingswood Mount Snow	Dover	08/15/11	0.4000	425
5291	Mount Snow Village Association	Dover	04/24/13	0.1000	123
20003	Mountaindale	Dover	10/17/07	0.1800	54
5636	Seasons On Mount Snow	Dover	10/30/13	0.1000	623
5623	Snow Mountain Village	Dover	04/02/14	0.1000	210
5542	Snowtree Condominium	Dover	09/25/13	0.1000	302
5541	Suntec Forest Condominium	Dover	11/02/14	0.1300	200
5545	Tara Townhouses	Dover	01/11/11	0.1000	48
5615	Timbercreek Condominium	Dover	02/05/13	0.1000	1116
20100	Village At Sawmill Farms	Dover	09/29/14	0.1000	40
5621	Charette Water System	Dummerston	02/04/09	0.1000	37
20626	Duxbury Moretown FD 1	Duxbury	fluoridated		650
5352	Patterson MHP	Duxbury	fluoridated		55
3359	East Burke Complex	East Burke	3/16/11	0.2900	173
5110	Aqua Haven	East Haven	03/17/14	0.8000	150
20809	East Haven School/Community Bldg	East Haven	11/27/06	0.2000	55
5264	Crystal Springs Water System	East Montpelier	05/01/11	0.3000	300
5643	North Montpelier Water System	East Montpelier	01/14/02	0.2000	48
5267	Sandy Pines MHP	East Montpelier	11/11/14	0.1000	100
5152	Elmore Water District	Elmore	03/31/14	0.3000	32
5116	Enosburg Falls Water System	Enosburg	fluoridated		1700
5066	Essex Jct Water Dept	Essex	fluoridated		8591
5065	Essex Town Water System	Essex	fluoridated		8154
5218	Fair Haven Water Dept	Fair Haven	02/25/08	0.2000	3076
20855	Colonial Estates Homeowners Assn.	Fairfax	03/25/14	0.1600	79
5403	Fairfax FD 1	Fairfax	11/14/13	0.1000	80
5118	Fairfax Heights Water Co	Fairfax	12/16/14	0.3000	100
5117	Fairfax Water Dept	Fairfax	08/24/06	0.1000	1550

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5119	East Fairfield FD 1	Fairfield	08/30/13	0.3000	184
20415	Fairfield FD 2	Fairfield	08/13/13	0.3000	126
5174	Fairlee Town Water	Fairlee	12/27/11	0.1000	967
5397	Battleground Condominium	Fayston	05/20/13	0.1000	286
6686	Fayston Elementary School	Fayston	02/05/13	0.3000	126
5504	Fiddlehead Condominiums	Fayston	03/22/11	0.1000	60
5524	Snowside Condominium	Fayston	06/24/14	0.3000	63
5268	Sugar Run Association Inc	Fayston	05/25/11	0.1000	197
5120	Franklin FD 1	Franklin	07/17/08	0.2000	400
6694	Georgia Elementary School	Georgia	03/02/11	0.3000	850
5556	Georgia Station	Georgia	06/26/12	0.3400	120
5379	Rhodeside Acres	Georgia	09/02/08	0.3000	65
5121	South Georgia FD	Georgia	10/08/13	0.1000	500
5530	Union House Nursing Home	Glover	02/21/12	0.3000	56
6076	Grafton Elementary School	Grafton	03/31/06	0.7550	93
5140	Coopers MHP	Grand Isle	03/14/11	0.3000	75
20614	Grand Isle Consolidated Water District	Grand Isle	02/12/14	0.1000	1693
5139	Grand Isle FD 4	Grand Isle	01/05/15	0.1000	1063
5199	Greensboro Bend Fire District 2	Greensboro	6/08/11	0.1000	71
5198	Greensboro FD 1	Greensboro	11/05/14	0.1000	551
5111	Guildhall Water System	Guildhall	08/30/99	0.2000	136
6634	Guilford Central School	Guilford	04/17/13	0.3000	300
5038	East Hardwick FD 1	Hardwick	02/27/12	0.3000	350
5039	Hardwick Town Water System	Hardwick	05/17/11	0.1000	1900
5374	Birchwood Condominium Association	Hartford	03/31/14	0.1000	63
20796	Chambers Mobile Home Village	Hartford	04/20/15	0.1000	150
5319	Hartford Water Dept	Hartford	04/20/15	0.1000	7600
5424	Merrimac Manor MHP	Hartford	06/24/07	0.2000	80
5580	Merrimac MHP System 2	Hartford	09/16/14	0.1000	42
20471	Olcott Falls Manor MHP	Hartford	04/20/15	0.1000	104
5320	Quechee Central	Hartford	03/27/06	0.1000	2208
20552	Sterling Spring	Hartford	04/20/15	0.1000	200
5375	Tall Timbers MHP	Hartford	03/05/11	0.1000	275
5404	Woodside Manor	Hartford	08/23/11	0.1000	175
20847	Cobb Hill Co-Housing, Inc.	Hartford	07/06/09	0.1000	41
20742	Hartland Recreation Center	Hartland	10/14/14	0.1000	104

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
20774	Hartland Town Activity Center	Hartland	02/04/13	0.2300	50
5322	North Hartland Water Coop	Hartland	03/10/13	0.1000	262
6731	Highgate Center School	Highgate	01/02/13	0.3500	400
5070	Hinesburg Water Dept	Hinesburg	fluoridated		2010
20000	Lyman Meadows	Hinesburg	10/17/13	0.1100	212
20758	Mountain View MHP	Hinesburg	fluoridated		150
20098	Orchard Commons	Hinesburg	11/03/13	0.3000	27
20757	Sunset Lake Villa MHP	Hinesburg	fluoridated		147
20759	Triple L MHP	Hinesburg	fluoridated		170
6065	Brewster Pierce School	Huntington	08/23/11	0.1000	149
5076	Huntington FD 1	Huntington	03/29/12	0.1000	123
5154	Hyde Park Water System	Hyde Park	07/30/13	0.1000	590
5153	Hyde Park FD 1	Hyde Park	12/30/13	0.1000	150
20092	Sterling View Senior MHP	Hyde Park	08/27/13	0.1000	290
5200	Irasburg FD 1	Irasburg	04/13/11	0.1000	200
20629	Isle LaMotte School	Isle LaMotte	08/10/07	0.8000	40
5563	Bear Creek Condominium	Jamaica	04/22/14	0.1000	116
5565	Jay Peak Water System	Jay	07/09/13	0.1000	7120
5201	Jay Peak Subdivision II	Jay	02/08/12	0.1000	66
20464	Jay Peak Village Phase I	Jay	02/08/12	0.1000	288
6655	Jay Westfield Elementary School	Jay	09/10/08	0.1000	90
20434	Slopeside Condominium	Jay	03/23/06	0.2180	256
20414	Trillium Woods Water System	Jay	07/17/12	0.3000	30
5476	Jericho FD 1	Jericho	09/16/09	0.1000	190
5652	Jericho East Home Owners Association	Jericho	03/10/11	0.1000	300
5078	Jericho Heights Water Coop	Jericho	06/26/12	0.2000	60
5077	Village of Jericho Water System	Jericho	fluoridated		1410
5156	Johnson Village Water Dept	Johnson	02/14/13	0.1000	1350
5155	Mountain View MHP	Johnson	09/10/02	0.2000	75
5382	Edgemont Condominiums	Killington	09/27/12	0.1000	108
5647	Fall Line Town Houses	Killington	03/30/06	0.1000	168
5619	Glaze Brook	Killington	01/24/13	0.1100	120
5240	Hemlock Ridge Condominium	Killington	04/02/13	0.1000	63
5590	Killington High Ridge Condominium	Killington	01/13/11	0.1000	500
5632	Killington Upland Water Co Inc	Killington	01/24/08	0.2500	518
5575	Moon Ridge Condominium	Killington	03/08/11	0.3000	94

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5539	Mountain Green Condominium	Killington	02/04/14	0.1000	1300
5559	Northbrook Country Estates	Killington	04/09/01	0.2000	60
5604	Northside Condominium	Killington	03/08/11	0.3000	32
5238	Pico Village Water Coop	Killington	06/13/13	0.1000	89
5540	Pinnacle Condominium	Killington	09/06/12	0.1000	400
5618	Sunrise Community Water System	Killington	05/02/12	0.1000	829
5571	Telemark Village	Killington	12/12/13	0.1300	82
5597	Trail Creek Condominium	Killington	05/21/12	0.1000	212
5626	Valley Park Condominium	Killington	06/23/11	0.1000	42
5384	Whiffletree Condominium	Killington	08/25/11	0.1100	189
5631	Woods	Killington	03/06/13	0.1000	280
5294	Magic Village Water Coop	Londonderry	10/29/13	0.1000	308
5577	Mountain Side Condominium	Londonderry	07/16/13	0.1800	45
5583	Smith Haven Center	Londonderry	05/03/11	0.1000	63
20151	Trailside At Magic Mountain	Londonderry	02/12/09	0.1000	150
5359	Alpen Meadows	Ludlow	08/21/13	0.1000	112
20618	Black River Overlook	Ludlow	11/01/14	0.1000	85
5357	Green Mountain At Fox Run	Ludlow	03/12/12	0.1000	75
20917	Jackson Gore-Okemo	Ludlow	04/19/04	0.2000	1695
5609	Bull Run	Ludlow	10/03/13	0.1000	420
20153	Ledgewood	Ludlow	09/26/06	0.1000	292
5323	Ludlow Village Water Dept	Ludlow	fluoridated		2818
20508	Okemo Solitude	Ludlow	10/03/13	0.1000	416
5325	Okemo Trailside Condominium	Ludlow	10/12/09	0.1000	540
5324	Okemo Village Condominium	Ludlow	09/08/09	0.1000	180
5637	Tuckerville MHP	Ludlow	05/06/07	0.2000	60
5635	Winterplace Water System	Ludlow	02/26/14	0.1000	745
5112	Lunenburg FD 1	Lunenburg	02/25/10	0.1000	250
5113	Lunenburg FD 2	Lunenburg	10/26/11	0.1000	400
5041	Lyn Haven FD 1	Lyndon	10/22/13	0.3000	100
5040	Lyndonville Water System	Lyndon	01/27/10	0.3000	4500
5646	Eagle Rise The Village	Manchester	02/07/12	0.1000	63
5023	Manchester MHP	Manchester	09/10/12	0.3000	100
5022	Manchester Water Dept	Manchester	08/06/13	0.1000	4900
20743	Marlboro College	Marlboro	03/16/11	0.1000	901
5269	Marshfield Water System	Marshfield	12/23/14	0.3000	350

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5221	East Mountain Water Corp	Mendon	11/10/11	0.3000	34
5220	Eastridge Acres Association	Mendon	03/20/12	0.1000	95
5360	Killington Gateway	Mendon	8/16/05	0.2000	140
5003	East Middlebury FD 1	Middlebury	2/06/11	<.3000	642
5004	Middlebury Water Dept	Middlebury	fluoridated		5806
20958	Lindale MHP	Middlebury	fluoridated		179
5083	Berts MHP	Milton	fluoridated		450
5080	Birchwood Manor MHP	Milton	fluoridated		445
5079	Milton Water Dept	Milton	fluoridated		5333
5551	Oglewood Estates	Milton	fluoridated		110
5535	Sunny Acres Development Water Assoc Inc	Milton	07/25/12	0.4000	50
5081	Woodbriar Manor	Milton	fluoridated		150
5125	Montgomery Center Water System	Montgomery	02/07/13	0.3000	500
5272	Montpelier Water System	Montpelier	fluoridated		8700
5601	Murray Hill	Montpelier	05/02/11	0.3000	212
5435	Commons (The)	Moretown	02/08/11	0.3000	79
5493	Riverside MHP	Moretown	09/12/12	0.3000	30
6690	E Taylor Hatton School	Morgan	05/04/10	0.6000	60
5159	Cadys Falls Water Coop	Morristown	11/07/11	0.1000	56
5158	Morristown Corner Water Corp	Morristown	08/25/10	0.4000	150
5160	Morrisville Water & Light	Morristown	fluoridated		2600
.5162	Pinecrest MHP	Morristown	01/16/14	0.1000	139
6075	Mount Holly School	Mount Holly	06/10/13	0.1800	89
20860	Kindle Farm School	Newfane	01/17/13	1.5000	38
6630	Newark School	Newark	01/10/11	0.3000	116
5175	Newbury Village Inc	Newbury	fluoridated		480
5176	Wells River Water System	Newbury Orange	02/06/14	0.1000	490
6078	Beeman Elementary School	New Haven	06/05/13	0.3000	193
5202	Newport City Water System	Newport City	fluoridated		5600
5655	Holbrook Bay Commons	Newport Town	03/12/12	0.1300	95
5204	Newport Center Water System	Newport Town	03/12/12	0.1000	322
20562	North Hero Water System	North Hero	03/21/12	0.1000	1800
5275	Northfield Water Dept	Northfield	fluoridated		4856
5327	Hawk Pine Hills	Norwich	02/24/11	0.3000	60
5326	Norwich FD 1	Norwich	fluoridated		870
20308	Starlake Village Leaseholders Assoc.	Norwich	06/26/03	0.1000	50

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
6674	Orange Center School	Orange	02/15/11	0.6300	183
6093	Lake Region Union USD 24	Orleans	01/10/11	0.4000	490
5190	Orleans Water System	Orleans	fluoridated		846
5042	Peacham FD 1	Peacham	06/12/07	0.2000	150
5024	Bromley Water Co	Peru	01/08/14	0.1000	4300
5603	Wintergreen At Killington	Pittsfield	08/20/13	0.1000	50
5648	Pittsford FD 1	Pittsford	12/12/01	0.2000	69
5225	Pittsford Florence Water	Pittsford	07/24/12	0.3000	1652
5277	Plainfield Water System	Plainfield	05/15/13	0.1000	985
20807	Goddard College	Plainfield	05/15/13	0.1000	369
6711	Twinfield USD 33	Plainfield	01/21/13	0.1000	440
20790	Birch Landing Condominium	Plymouth	02/05/08	0.1000	82
5598	Ledges System 1	Plymouth	06/24/13	0.1000	252
5462	Round Top	Plymouth	8/18/10	0.1000	240
5227	Poultney Water Dept	Poultney	fluoridated		2400
5628	Alta Gardens Estates	Pownal	09/02/13	0.1000	137
5645	Evergreen MHP	Pownal	08/24/11	0.3000	50
20723	Green Mountain MHP	Pownal	06/17/13	0.1100	110
5026	Lampman Water System	Pownal	02/20/13	0.3000	133
20734	Pownal FD 2	Pownal	06/17/13	0.2000	400
5517	Pownal FD 3	Pownal	04/18/89	0.2000	60
5027	Royal Pine Villa	Pownal	07/09/12	0.3000	100
5228	Proctor Water Dept	Proctor	fluoridated		2000
5362	Locust Hill MHP	Putney	12/08/03	0.2000	54
20443	Putney Meadows	Putney	05/12/04	0.2000	56
20934	Putney Water System	Putney	02/16/10	0.1000	1300
006624	Putney School	Putney	05/15/12	0.1000	369
5490	Greenes MHP	Randolph	06/27/13	0.1000	39
5180	Armstrong MHP	Randolph	04/23/13	0.1000	45
5177	Randolph Center Water System	Randolph	06/04/12	0.1000	1138
5179	Randolph Village	Randolph	fluoridated		2700
6089	Reading Elementary School	Reading	08/25/14	0.4400	59
5028	Readsboro Town of	Readsboro	08/08/12	0.3000	375
5126	Richford Water System	Richford	10/13/11	0.1000	1700
5426	Richmond FD 1	Richmond	06/26/12	0.1000	56
5084	Richmond Water Dept	Richmond	fluoridated		1000

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5086	Riverview Commons	Richmond	06/24/14	0.3000	388
5329	Mountain View Water Assoc	Rochester	06/15/11	0.1000	127
5328	Rochester Water System	Rochester	01/15/13	0.1000	440
5298	Bellows Falls Water Dept (Village Only)	Rockingham	fluoridated		3700
5304	Northshore MHP	Rockingham	01/25/11	0.1000	40
5303	Vermont Academy	Rockingham	12/18/13	0.1000	305
5331	Eatons MHP	Royalton	03/13/13	0.1000	60
5330	Royalton FD 1	Royalton	02/10/14	0.1000	1500
20824	Highland Meadows	Rutland	fluoridated		135
6618	Mill river USD 40	Rutland	08/22/13	0.1000	960
5229	Rutland City Water Dept	Rutland City	fluoridated		18500
5499	Colonial Estates Water Corp	Rutland Town	03/28/13	0.1000	200
5237	Grandview Acres Coop	Rutland Town	10/23/14	0.1000	102
5560	Best Western Hogge Penny I	Rutland Town	5/29/08	0.1000	137
5534	Rutland Town FD 1	Rutland Town	07/26/12	0.1000	401
5482	Rutland Town FD 10	Rutland Town	08/22/11	0.1000	84
20764	Rutland Town Mendon FD 2	Rutland Town	fluoridated		102
20885	Rutland Town FD 4	Rutland Town	fluoridated		136
5429	Rutland Town FD 5	Rutland Town	08/19/12	0.1200	110
5378	Rutland Town FD 6	Rutland Town	12/29/14	0.1000	153
20815	Rutland Town FD 8	Rutland Town	fluoridated		45
5500	Rutland Town Water Supply	Rutland Town	fluoridated		1500
20633	Rutland Town FD 11	Rutland Town	fluoridated		29
5043	Ryegate FD 2	Ryegate	10/17/12	0.1000	131
5044	South Ryegate Water Coop	Ryegate	05/26/10	1.0000	32
5469	Shaftsbury Water System	Shaftsbury	01/28/92	0.2000	950
6697	Millers Run School USD 7	Sheffield	09/22/11	0.4400	250
5381	Sheffield FD 1	Sheffield	10/08/13	0.1000	50
20907	Lake Champlain Waldorf School	Shelburne	03/13/07	1.6000	32
5089	Livingston MHP	Shelburne	fluoridated		60
5602	Shelburne Farms	Shelburne	fluoridated		235
5087	Shelburne Water Dept	Shelburne	fluoridated		5572
20449	Wake Robin Corp	Shelburne	fluoridated		415
5128	Sheldon Springs Water System	Sheldon	03/20/03	0.3000	300
5127	Sheldon Water System	Sheldon	10/05/11	0.3000	300
5241	Cuttingsville FD	Shrewsbury	03/27/13	0.3000	108

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5573	Spring Lake Ranch Inc	Shrewsbury	10/16/13	0.1000	70
5092	Champlain Water District	S. Burlington	fluoridated		22500
5090	South Burlington FD	S. Burlington	02/10/14	0.3000	250
5091	South Burlington Water District	S. Burlington	fluoridated		15296
5624	Allen Point Water System	South Hero	08/14/90	0.2000	40
20080	South Hero FD 4	South Hero	09/22/14	0.3000	760
6714	Pomfret School	South Pomfret	12/18/13	0.4000	144
5333	Springfield Water Dept	Springfield	fluoridated		9800
5399	Windy Hill Acres MHP	Springfield	03/05/13	0.1200	139
5130	St Albans Water Dept	St Albans City	fluoridated		9656
5093	St. George FD 1	St George	12/12/11	0.1000	42
5094	St George FD 2	St George	03/17/14	0.1000	72
20763	St. George Town Center Assoc.	St.George	03/20/06	0.1000	25
5095	St George Villas	St George	12/18/14	0.1000	420
20820	Green Lantern MHP	St Johnsbury	fluoridated		144
5046	St Johnsbury Center FD 1	St Johnsbury	fluoridated		370
5045	St Johnsbury Water System	St Johnsbury	fluoridated		5000
5006	Brookside MHP	Starksboro	08/13/14	0.1000	135
5007	Lazy Brook MHP	Starksboro	09/07/06	0.2000	205
5005	Starksboro Village Water Coop	Starksboro	11/01/13	0.3000	150
5335	Chalet Village	Stockbridge	03/19/14	0.0500	88
5650	Birch Hill Water System	Stowe	03/16/11	0.1000	45
20439	Covered Bridge Highland	Stowe	07/11/13	0.1200	85
5385	Mansfield View Water Corp	Stowe	02/17/11	0.1000	116
5166	Mount Mansfield Toll House	Stowe	03/09/05	0.0400	900
5165	Mountainside Resort	Stowe	03/28/12	0.1000	560
5167	Notch Brook Subdivision	Stowe	04/24/00	0.2000	96
5611	Notchbrook Condominium	Stowe	02/21/08	0.1000	201
5538	River Road Apartments	Stowe	07/09/13	0.3000	50
5168	Stowe FD 2 Gold Brook Circle	Stowe	10/06/11	0.1000	86
5523	Stowe FD 4	Stowe	03/18/10	0.1000	120
5163	Stowe Water Dept.	Stowe	11/03/14	0.1000	2620
21179	Sratton Mt. Maintenance Building	Stratton	05/13/14	0.2600	30
5305	Winhall-Stratton FD 1	Stratton	02/25/14	0.1000	10040
20748	Orvis Company	Sunderland	07/19/05	0.1000	175
20786	King George School I, Boys Dorm	Sutton	05/30/06	0.1000	51
20787	King George School II, Girls Dorm	Sutton	05/30/06	0.1000	29

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5048	Sutton Water System	Sutton	07/08/13	0.1000	190
5134	Homestead Acres MHP	Swanton	01/06/14	0.1000	81
5133	Sunset Terrace Estates	Swanton	09/13/13	0.3000	45
5132	Swanton Village Water	Swanton	fluoridated		4394
5184	East Thetford Water Co	Thetford	03/07/11	0.3000	250
5181	Thetford Water Coop Inc	Thetford	03/10/09	0.3000	115
5182	Union Water Co	Thetford	04/12/12	0.1000	92
6643	Leland Gray USD 34	Townshend	05/14/13	0.1000	460
6071	Townshend Elementary School	Townshend	08/20/13	0.6500	105
5205	North Troy Water System	Troy	05/03/12	0.1000	860
5206	Troy Water System	Troy	07/09/13	0.1000	315
5096	Jericho Underhill Water	Underhill	fluoridated		825
20613	Otter Creek MHP	Vergennes	fluoridated		180
5010	Vergennes Panton Water Dept	Vergennes	fluoridated		5080
20738	NEOB-Vermont Yankee	Vernon	05/12/14	0.6500	150
8332	Vt Yankee Plant Main	Vernon	02/04/14	0.5500	200
5532	Vernon Green Nursing Home	Vernon	08/07/13	1.7000	125
20031	Vernon Hall	Vernon	08/07/13	0.3800	50
20986	Huckle Hill Housing	Vernon	4/06/11	0.2200	49
5280	Butternut Hill	Waitsfield	06/07/11	0.3000	50
5562	Eagles Resort	Waitsfield	03/29/12	0.3000	131
5596	Fly In Water System	Waitsfield	11/07/11	0.3000	37
5564	Mad River Meadows	Waitsfield	02/08/11	0.3000	92
5279	Verd Mont MHP	Waitsfield	05/10/04	0.2000	80
21101	Waitsfield & Champlain Valley Telecom	Waitsfield	04/09/13	0.1200	52
5243	South Wallingford Co	Wallingford	06/15/11	0.3000	80
5242	Wallingford FD 1	Wallingford	02/20/12	0.1000	956
5283	Bridges Resort	Warren	08/22/11	0.3000	440
5657	Club Sugarbush Water System	Warren	06/05/14	0.1000	400
5282	Drumleys Condominiums	Warren	11/24/08	0.3000	92
20135	Farms At Club Sugarbush	Warren	06/19/14	0.1000	48
5281	Mountain Water Co	Warren	07/31/14	0.1000	2400
5608	South Face	Warren	03/28/12	0.1000	105
5593	South Village	Warren	09/19/13	0.1000	445
5525	Sterling Ridge Water	Warren	11/01/13	0.3000	66
5589	Christmas Tree/Sundown Corp Assoc.	Warren	12/18/02	0.2000	110
5442	Timberline Condominiums	Warren	03/23/12	0.3000	50

Public Community Water System by Town
Fluoride Results
05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5185	Washington FD	Washington	03/23/11	0.3000	170
5502	Washington North MHP	Washington	03/28/05	0.1000	63
5287	East Wind	Waterbury	09/12/12	0.3000	74
5284	Waterbury Village Water	Waterbury	fluoridated		6317
5169	Waterville FD 1	Waterville	10/15/13	0.3000	84
5339	Ascutney FD 2	Weathersfield	03/26/12	0.3000	485
6672	Charlestown Elementary School	West Charlestown	08/23/11	1.5000	145
20731	Mountain Park	West Dover	01/15/13	1.1600	679
5353	West Fairlee MHP	West Fairlee	08/07/12	0.3000	50
20721	Mettawee Community School	West Pawlet	03/24/15	0.1000	352
20872	Newmont Slate Company	West Pawlet	12/03/12	0.3900	30
5244	West Rutland	West Rutland	05/08/13	0.1000	1982
5599	Summit Water Co Inc	West Windsor	02/07/11	0.2000	750
5208	Alpine Haven	Westfield	03/08/12	0.1000	250
5207	Westfield FD 1	Westfield	08/01/11	0.3000	120
5450	Westford FD 1	Westford	10/27/05	0.2000	65
5452	Kurn Hattin Boys School	Westminster	07/09/13	1.2000	164
20751	Early Education Services	Westminster	05/13/14	0.1000	44
5309	Shady Pines MHP	Westminster	11/15/12	0.1000	52
5306	Westminster Aqueduct Society	Westminster	02/14/12	0.1000	150
6747	Westminster Center School	Westminster	02/23/11	1.3000	390
20406	Westminster West School	Westminster	02/23/11	0.1000	46
5049	Wheelock FD 1	Wheelock	12/20/11	0.3000	50
5012	Whiting Water Corp	Whiting	06/25/14	0.1500	61
5518	Limehurst MHP	Williamstown	11/05/12	0.3000	87
5186	Williamstown Water Dept	Williamstown	08/29/12	0.1000	950
20867	Oak Hill Estates Water System	Williston	fluoridated		52
5100	Williston FD 1	Williston	02/12/13	0.3000	212
5098	Williston Water Dept	Williston	fluoridated		6848
5312	Chimney Hill	Wilmington	06/11/14	0.1000	2580
5313	Cold Brook FD 1	Wilmington	03/19/14	0.1000	700
5649	Cold Brook FD Base Area	Wilmington	01/27/10	0.1000	761
5393	Cross Country	Wilmington	7/01/97	<.3000	40
6568	Twin Valley Elementary School	Wilmington	10/16/13	0.6800	230
5310	Wilmington Water District	Wilmington	08/04/14	0.1000	1400
5342	Mount Ascutney MHP	Windsor	09/27/11	0.3000	26
20570	Southeast State Correctional Facility	Windsor	04/01/13	0.3000	120

Public Community Water System by Town
 Fluoride Results
 05/2015

WSID	Water System Name	Town	Date of Sample	Result	Pop.
5341	Windsor Water Dept	Windsor	07/24/14	0.1000	3300
5633	Intervale at Stratton	Winhall	01/22/15	0.1000	241
5592	Piper Ridge Condominium	Winhall	03/20/13	0.1000	362
5629	Winhall Acres	Winhall	11/12/13	0.1000	84
5102	Winooski Water Dept	Winooski	fluoridated		6733
5586	Blake Hill	Woodstock	03/06/12	0.1000	69
20776	Wild Apple Limited Partnership	Woodstock	11/11/08	0.4700	50
5343	Woodstock Aqueduct Co	Woodstock	04/17/07	0.2000	2200
5289	Worcester FD 1	Worcester	03/20/13	0.1000	350